

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Before the Examiner:  
F. Bauchot et al. :  
Serial No: : Group Art Unit:  
Filed: : Intellectual Property  
Title: METHOD AND SYSTEM : Law Department  
IN AN ELECTRONIC SPREADSHEET : International Business  
FOR COMPARING SERIES OF CELLS : Machines Corporation  
: 11400 Burnet Road  
: Internal Zip 4054  
: Austin, Texas 78758

Date: April 19, 2001

PRELIMINARY AMENDMENT

Honorable Commissioner of Patents and Trademarks  
Washington, D. C. 20231.

Sir:

Please amend this application as follows:

IN THE CLAIMS:

1. A method of comparing two series of cells in a multi dimensional spreadsheet comprising a plurality of cells identified by a cell address along each dimension, a series of cells comprising one or a plurality of cell range, a cell range comprising one or a plurality of cells, said method comprising the steps of:

- defining a boolean attribute, said boolean attribute having a first and a second value;

- assigning the first value of said boolean attribute to each cell of a first series of cells;
- assigning the second value of said boolean attribute to each cell of a second series of cells;
- determining in a first operation whether all the cells of said first series of cells share the same first value of said boolean attribute, or share the same second value of said boolean attribute or do not share a same single value of said boolean attribute;
- assigning the first value of said boolean attribute to each cell of the first series of cells;
- determining in a second operation whether all the cells of the second series of cells share the same first value of said boolean attribute, or share the same second value of said boolean attribute or do not share a same single value of said boolean attribute;
- determining whether the first series and the second series are the same or not by comparing results of the first operation and the second operation:
  - if all the cells of the first series share the same second value of said boolean attribute in said first operation and if all the cells of the second series share the same first value of said boolean attribute in said second operation, the first series and the second series are the same.

2. The method according to claim 1 wherein the step of determining whether the first series and the second series are the same or not comprises the further step of determining whether the first series and the second

series are disjointed or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series share the same first value of said boolean attribute in said first operation and if all the cells of the second series share the same second value of said boolean attribute in said second operation, the first series and the second series are disjointed.

3. The method according to claim 2 wherein the step of determining whether the first series and the second series are the same or not, comprises the further step of determining whether the first series and the second series overlap or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series do not share the same single value of said boolean attribute in said first operation and if all the cells of the second series do not share the same single value of said boolean attribute in said second operation, the first series and the second series overlap.

4. The method according to claim 3 wherein the step of determining whether the first series and the second series are the same or not, comprises the further step of determining whether the first series and the second series are included one in the other or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series share the same second value of said boolean attribute in said first operation and if all the cells of the second series do not share the same single value of said boolean attribute in said second operation, the first series is included in the second series;
- if all the cells of the first series do not share the same single value of said boolean attribute in said first operation and if all the cells of the second series share the same first value of said boolean attribute in said second operation, the second series is included in the second series.

5. The method according to claim 1 wherein said boolean attribute is temporary.

6. A system comprising means adapted for carrying out the method according to claim 1.

7. A computer readable medium comprising instructions adapted for carrying out the method according to claim 1.

#### REMARKS

Claims 1-7 are pending in this French patent application. Applicants have amended Claims 2-7 to eliminate the multiply dependent claims. Applicants have not added any additional claims to the application. The Examiner is asked to consider Claims 1-7 in view of the above amendments.

PATENT:

Respectfully submitted,

David A. Mims, Jr.

David A. Mims, Jr.

Attorney for Applicants

Registration No. 32,708

(512) 823-0950

DAM: dam

FAX: 512-823-1036

Parameter	Unit	Value	Uncertainty
$\alpha$	deg	11.5	± 0.5
$\beta$	deg	11.5	± 0.5
$\gamma$	deg	11.5	± 0.5
$\delta$	deg	11.5	± 0.5
$\epsilon$	deg	11.5	± 0.5
$\zeta$	deg	11.5	± 0.5
$\eta$	deg	11.5	± 0.5
$\theta$	deg	11.5	± 0.5
$\iota$	deg	11.5	± 0.5
$\kappa$	deg	11.5	± 0.5
$\lambda$	deg	11.5	± 0.5
$\mu$	deg	11.5	± 0.5
$\nu$	deg	11.5	± 0.5
$\xi$	deg	11.5	± 0.5
$\pi$	deg	11.5	± 0.5
$\rho$	deg	11.5	± 0.5
$\sigma$	deg	11.5	± 0.5
$\tau$	deg	11.5	± 0.5
$\upsilon$	deg	11.5	± 0.5
$\phi$	deg	11.5	± 0.5
$\chi$	deg	11.5	± 0.5
$\psi$	deg	11.5	± 0.5
$\omega$	deg	11.5	± 0.5
$\Omega$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	± 0.5
$\Theta$	deg	11.5	± 0.5
$\Phi$	deg	11.5	± 0.5
$\Psi$	deg	11.5	± 0.5
$\Upsilon$	deg	11.5	± 0.5
$\Gamma$	deg	11.5	± 0.5
$\Lambda$	deg	11.5	± 0.5
$\Sigma$	deg	11.5	± 0.5
$\Pi$	deg	11.5	

VERSION WITH MARKINGS TO SHOW CHANGES MADEIN THE CLAIMS:

2. (Amended) The method according to [he preceding] claim 1 wherein the step of determining whether the first series and the second series are the same or not comprises the further step of determining whether the first series and the second series are disjointed or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series share the same first value of said boolean attribute in said first operation and if all the cells of the second series share the same second value of said boolean attribute in said second operation, the first series and the second series are disjointed.

3. (Amended) The method according to [the preceding] claim 2 wherein the step of determining whether the first series and the second series are the same or not, comprises the further step of determining whether the first series and the second series overlap or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series do not share the same single value of said boolean attribute in said first operation and if all the cells of the second series do not share the same single value of

said boolean attribute in said second operation, the first series and the second series overlap.

4. (Amended) The method according to [the preceding] claim 3 wherein the step of determining whether the first series and the second series are the same or not, comprises the further step of determining whether the first series and the second series are included one in the other or not by comparing the results of the first operation and the second operation:

- if all the cells of the first series share the same second value of said boolean attribute in said first operation and if all the cells of the second series do not share the same single value of said boolean attribute in said second operation, the first series is included in the second series;
- if all the cells of the first series do not share the same single value of said boolean attribute in said first operation and if all the cells of the second series share the same first value of said boolean attribute in said second operation, the second series is included in the second series.

5. (Amended) The method according to [any one of the preceding claims] claim 1 wherein said boolean attribute is temporary.

6. (Amended) A system comprising means adapted for carrying out the method according to [any one of the preceding claims] claim 1.

7. (Amended) A computer readable medium comprising instructions adapted for carrying out the method according to [claims] claim 1 [to 5].